

LED Compact Rectangular Work Light – Model 893


1300671

Product Information

| | |
|--------------------------------------|---|
| Description | Model 893 - LED Compact Work Light - 12/24V |
| Height | 70.00 mm / 2.76 in |
| Width | 196.00 mm / 7.72 in |
| Depth | 45.00 mm / 1.77 in |
| Shape | Rectangular |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Color | Black |
| Mounting Hardware Description | (x1) 5/16"-18 x 1.00" Mounting Bolt Bracket |
| Minimum Operating Temperature | -40 °C |
| Maximum Operating Temperature | 85 °C |
| Mating Connector | Deutsch DT06-2S-E003 |
| Product Weight | 1.02 lbs / 0.46 kgs |
| Shipping Weight | 1.30 lbs / 0.59 kgs |



Product Dimensions




Electrical Specifications

| | |
|----------------------------|--|
| Input Voltage | 9-32V DC |
| Operating Voltage | 12-24V DC |
| Transient Spike Protection | 330V Peak @ 1 HZ-100 Pulses |
| Red Wire | Power |
| Black Wire | Ground |
| Current Draw | 4.5A @ 12V DC (Power) 1.8A @ 24V DC (Power) |

Photometric Specifications

| | |
|-------------------------------|--------|
| Raw Lumen Output | 7120 |
| Effective Lumen Output | 3700 |
| Candela Output | 6230 |
| Nominal LED Color Temperature | 5000 K |



Additional Specifications



| | |
|---------------|---|
| IP Rating | IP67 & 69K |
| Warranty | Please refer to the Warranty Statement which is available for download on the website |
| Pack Quantity | 1 |