



LED Compact Work Light - Model 892

1603961

Description Model 892 - LED Compact Work

Light - 12/24V

 Height
 120.40 mm / 4.74 in

 Width
 99.90 mm / 3.93 in

 Depth
 44.56 mm / 1.75 in

Shape Square

Outer Lens Material Polycarbonate

Outer Lens ColorClearHousing ColorBlack

Mounting Hardware Description (x1) 5/16"-18 x 1.00" Mounting Bolt


Bracket


Minimum Operating Temperature $-40 \, ^{\circ}\text{C}$ Maximum Operating Temperature $60 \, ^{\circ}\text{C}$


Mating ConnectorDeutsch DT06-2S-E003Product Weight0.90 lbs / 0.41 kgsShipping Weight1.03 lbs / 0.47 kgs



Product Dimensions











Electrical Specifications

Input Voltage 12-24V DC **Operating Voltage** 9-30V DC

330V Peak @ 1 HZ-100 Pulses **Transient Spike Protection**


Red Wire Power **Black Wire** Ground

Current Draw 4.38A @ 12V DC (Power)

1.84A @ 24V DC (Power)

Photometric Specifications

Raw Lumen Output 6372 **Effective Lumen Output** 3800 5839 Candela Output **Nominal LED Color Temperature** 5000 K







Additional Specifications

~

IP Rating IP67 & 69K

Warranty Please refer to the Warranty

Statement which is available for

download on the website

Pack Quantity





