

# LED Compact Work Light – Model 892


## 1603961

### Product Information

<b>Description</b>	Model 892 - LED Compact Work Light - 12/24V
<b>Height</b>	120.40 mm / 4.74 in
<b>Width</b>	99.90 mm / 3.93 in
<b>Depth</b>	44.56 mm / 1.75 in
<b>Shape</b>	Square
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) 5/16"-18 x 1.00" Mounting Bolt Bracket
<b>Minimum Operating Temperature</b>	-40 °C
<b>Maximum Operating Temperature</b>	60 °C
<b>Mating Connector</b>	Deutsch DT06-2S-E003
<b>Product Weight</b>	0.90 lbs / 0.41 kgs
<b>Shipping Weight</b>	1.03 lbs / 0.47 kgs



### Product Dimensions




Electrical Specifications

Input Voltage	12-24V DC
Operating Voltage	9-30V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Red Wire	Power
Black Wire	Ground
Current Draw	4.38A @ 12V DC (Power) 1.84A @ 24V DC (Power)

Photometric Specifications

Raw Lumen Output	6372
Effective Lumen Output	3800
Candela Output	5839
Nominal LED Color Temperature	5000 K



Additional Specifications



IP Rating	IP67 & 69K
Warranty	Please refer to the Warranty Statement which is available for download on the website
Pack Quantity	1