



 $\sim$ 

# LED Headlight Conversion Kit - Model Evolution 4000 990007

#### Product Information

RetrofitsH7 haleMinimum Operating Temperature-40 °CMaximum Operating Temperature130 °CConnector or WiringH7

Model Evolution 4000 - 12/24V LED Bulb Kit 6000K - H7 H7 halogen light housings -40 °C 130 °C




Product Dimensions



Innovation is our heritage EST. 1896



## Body Width 14mm





lighting technology





## Electrical Specifications

| Input Voltage     | 12-24V DC        |
|-------------------|------------------|
| Operating Voltage | 12-24V DC        |
| Wattage           | 25 W             |
| Current Draw      | 1.75A @ 13.2V DC |

### Photometric Specifications

| Effective Lumen Output        | 2000 per bulb              |
|-------------------------------|----------------------------|
| Nominal LED Color Temperature | 6000 K                     |
| Beam Pattern(s)               | Forward Lighting - Driving |

#### Additional Specifications

| IP Rating     | IP65  |
|---------------|---|
| Warranty      | 3 Year - Standard driving conditions:<br>For normal day to day driving &<br>recreational 4x4. 1 Year - Off<br>Highway: For mining and industrial<br>applications. |
| Pack Quantity | 2 Bulbs   |







~

V