



NX3 - LED Beacons

NX370



Product Information

•

Description Amber LED Beacon - High Profile - 3

Point Mount

 Height
 123 mm / 4.84 in

 Width
 120 mm / 4.72 in

 Depth
 120 mm / 4.72 in

Shape Round

Outer Lens MaterialPolycarbonateHousing MaterialDie-Cast Aluminum

Housing Color Black

Mounting Hardware Description 3 x Mounting Screws Included

 $\begin{tabular}{ll} \begin{tabular}{ll} \be$

Connector or Wiring500mm hardwire fly leadProduct Weight1.4676173 lbs / 0.67 kgs












Product Dimensions



Electrical Specifications

Input Voltage 12-24V DC
Operating Voltage 12-24V DC
Wattage 16 W
Red Wire Positive
Black Wire Negative
Yellow Wire Mode Select
Current Draw 1.7AA @ 13.8V DC 1.0AA @ 24V DC









Additional Specifications

~

IP Rating IP67 Warranty 3 Years

Certification EMI: CISPR 25 Class 3, ECE R10 -

Operation: ECE R65 Class 1 &

SAEJ845 Class 1

Pack Quantity 1 Beacon

Installation & Application Information

. .

Flash Modes

Note: This product does have mode memory

Single Flash – 2.1Hz 126 Flash / Min – ECE R65 Class 1

	Single Flash -	1.25HZ /	'5 Flasn /	IVIII
 	o .			

Double Flash	















Cruise / Solid On – 30% Brightness for night use





