

NCXSOLIS

×

V


NX8SL - Slimline LED Light Bars NX803

Product Information

Description	NX8SL - LED 30.5" Slimline Light Bar
Height	47 mm / 1.85 in
Width	777 mm / 30.59 in
Depth	70 mm / 2.76 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Bezel Color	Chrome
Connector or Wiring	Wiring harness kit sold separately (NX220)
Product Weight	3.6 lbs / 1.63 kgs



Product Dimensions






Electrical Specifications

Operating Voltage	12-24V DC
Wattage	162 W
Current Draw	12.2A @ 13.8V DC 6.3A @ 24V DC

Photometric Specifications

Raw Lumen Output	14600
Nominal LED Color Temperature	5700 K
Beam Pattern(s)	Forward Lighting - Driving



Additional Specifications

IP Rating	IP68 & 69K
Warranty	3 Years
Certification	Approved to R10 EMI (Radio Interference)
Pack Quantity	1 Light Bar

 \sim



 \sim

Additional Information

NX8SL Light Bar Kit Contents

- 1 x LED light bar
- Side and rear mounting brackets (including all mounting hardware)

Please Note: A wiring harness is not included in this kit but if required, are available as a separate accessory (Part No. NX220)



V