# 



# LED High Beam Headlight – Model 8710 0550021



×

# **Product Information**

#### Description

	Insert (High Beam Oi				
Height	177.80 mm / 7 in				
Width	177.80 mm / 7 in				
Shape	Round				
Outer Lens Material	Polycarbonate				
Outer Lens Color	Clear				
Housing Color	Black				
Bezel Color	Black				
Retrofits	PAR 56 High Beam				
Minimum Operating Temperature	-40 °C				
Maximum Operating Temperature	65 °C				
Connector or Wiring	H4				
Mating Connector	AMP#172615-2				
Product Weight	2.20 lbs / 1 kgs				
Shipping Weight	3.10 lbs / 1.41 kgs				


Model 8710 - 12/24V LED Headlight Insert (High Beam Only) - Black







### **Product Dimensions**



## **Electrical Specifications**

Input Voltage	12-24V DC		
Operating Voltage	9-32V DC		
Black Wire	Ground		
white Wire	Positive		
Current Draw	4.80A @ 12V DC 2.50A @ 24V DC		

 $\checkmark$ 

 $\checkmark$ 



#### Photometric Specifications

Raw Lumen Output Effective Lumen Output	3,300 1,440		240m	High Bea	m (.75m h	nigh at 0°)
Candela Output Nominal LED Color Temperature	133,000 4750 К	10+ Lux	] 120m			
Beam Pattern(s)	Forward Lighting - High Beam (ECE)	1 Lux	] 0m 🖛			
		0.25 Lux	120m			
			240m	200m	400m	600m

## Additional Specifications

IP Rating	
Warranty	

Certification Pack Quantity IP67 Please refer to the Warranty Statement which is available for download on the website ECE Reg 112

1



×

×



