



# LED Work Light – Model 523 0551431


### Product Information


| Description                   | Medium Flood Beam  |
|-------------------------------|--|
| Height                        | 177.55 mm / 6.99 in  |
| Width                         | 253.75 mm / 9.99 in  |
| Depth                         | 88.90 mm / 3.5 in  |
| Shape                         | Rectangular  |
| Outer Lens Material           | Glass  |
| Outer Lens Color              | Clear  |
| Housing Material              | Die-Cast Aluminum  |
| Housing Color                 | Black  |
| Mounting Hardware Description | (x1) 1/2"-Mounting Bolt                                    |
| Mounting Type                 | Universal Pedestal Mount                                   |
| Maximum Operating Temperature | 65 °C  |
| Connector or Wiring           | Integrated 2-Pin Deutsch Weather<br>Proof Socket (DT04-2P) |
| Product Weight                | 6.72 lbs / 3.05 kgs  |
|                               |  |

Model 523 - 12/24V LED Worklight -




#### Product Dimensions





×

 $\sim$ 







## **Electrical Specifications**

| Input Voltage | 12-24V DC     |
|---------------|---------------|
| Current Draw  | 6.7A @ 12V DC |
|               | 3.7A @ 24V DC |

#### Photometric Specifications

| Raw Lumen Output              | 8,100                             |
|-------------------------------|-----------------------------------|
| Effective Lumen Output        | 3,900                             |
| Nominal LED Color Temperature | 5000 K                            |
| Beam Pattern(s)               | Forward Lighting - Flood (Medium) |







Innovation is our heritage EST. 1896

×

×



## Additional Specifications

**IP Rating** Warranty IP67

1

Please refer to the Warranty Statement which is available for

Pack Quantity

download on the website

×



