

LED Work Light – Model 523


0551451

Product Information

| | |
|--------------------------------------|---|
| Description | Model 523 - 12/24V LED Worklight - Wide Flood Beam |
| Height | 177.55 mm / 6.99 in |
| Width | 253.75 mm / 9.99 in |
| Depth | 88.90 mm / 3.5 in |
| Shape | Rectangular |
| Outer Lens Material | Glass |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Mounting Hardware Description | (x1) 1/2"-Mounting Bolt |
| Mounting Type | Universal Pedestal Mount |
| Maximum Operating Temperature | 65 °C |
| Connector or Wiring | Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P) |
| Product Weight | 6.72 lbs / 3.05 kgs |
| Shipping Weight | 8.40 lbs / 3.81 kgs |



Product Dimensions




Electrical Specifications

| | |
|----------------------|--------------------------------|
| Input Voltage | 12-24V DC |
| Current Draw | 6.7A @ 12V DC 3.7A @ 24V DC |

Photometric Specifications

| | |
|--------------------------------------|---------------------------------------|
| Raw Lumen Output | 8,100 |
| Effective Lumen Output | 3,900 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Flood (Super Wide) |

Model 523 - Wide Flood Beam



Beam Measurements - 1 Lux

Lamp Mounting: 2.15m High -10° Down

Additional Specifications



| | |
|---------------|---|
| IP Rating | IP67 |
| Warranty | Please refer to the Warranty Statement which is available for download on the website |
| Pack Quantity | 1 |