

# LED Work Light – Model 735


## 1706571

### Product Information

<b>Description</b>	Model 735 - 12/24V LED Worklight - Spot Beam
<b>Height</b>	137.16 mm / 5.4 in
<b>Width</b>	144.27 mm / 5.68 in
<b>Depth</b>	66.04 mm / 2.6 in
<b>Shape</b>	Oval
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) 5/16"-18 x 0.58" Mounting Bolt
<b>Mounting Type</b>	Universal Pedestal Mount
<b>Minimum Operating Temperature</b>	-40 °C
<b>Maximum Operating Temperature</b>	65 °C
<b>Connector or Wiring</b>	Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P)
<b>Mating Connector</b>	2-Pin Deutsch Weather-Proof Plug (DT06-2S)
<b>Product Weight</b>	1.55 lbs / 0.7 kgs
<b>Shipping Weight</b>	1.87 lbs / 0.85 kgs



## Product Dimensions



## Electrical Specifications


<b>Input Voltage</b>	12-24V DC
<b>Operating Voltage</b>	10-36V DC
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	3.50A @ 12V DC 1.75A @ 24V DC

Photometric Specifications



Raw Lumen Output	3,900
Effective Lumen Output	2,600
Nominal LED Color Temperature	5700 K
Beam Pattern(s)	Forward Lighting - Spot

Model 735 - Spot Beam



Beam Measurements - 1 Lux

Lamp Mounting: 2.15m High -10° Down

Additional Specifications



IP Rating	IP69K
Warranty	Please refer to the Warranty Statement which is available for download on the website
Pack Quantity	1