

LED Work Light – Model 7250 XD

1801521

Product Information **Description**

Model 7250XD - 12/24V LED Worklight - Flood Beam

Height

152.40 mm / 6 in

Width

170.18 mm / 6.7 in

Depth

68.58 mm / 2.7 in

Shape

Oval

Outer Lens Material

Polycarbonate

Outer Lens Color

Clear

Housing Material

Polycarbonate

Housing Color

Black

Mounting Hardware Description

(x1) 3/8-16 x 1.5" Stainless Steel Hex Head Bolt

Minimum Operating Temperature

-40 °C

Maximum Operating Temperature

65 °C

Connector or Wiring


Deutsch DT04-2P

Mating Connector

Deutsch DT06-2S

Shipping Weight

2.80 lbs / 1.27 kgs

Product Dimensions 


Electrical Specifications

Input Voltage	12-24V DC
Operating Voltage	10-32V DC
Black Wire	Ground
Red Wire	Power
Current Draw	1.60A @ 12V DC 0.90A @ 24V DC

Photometric Specifications

Raw Lumen Output	3,150
Effective Lumen Output	1,400
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Flood (Standard)

Model 7250XD - Flood Beam



Beam Measurements - 1 Lux

Lamp Mounting: 2.15m High -10° Down

Additional Specifications



IP Rating IP69K

Warranty Please refer to the Warranty Statement which is available for download on the website

Certification CISPR 12 & 22, SAEJ1113-13

Pack Quantity 1